## A tool for creating mathematical texts

P-A Cherix

10th of October 2018

## What shall we do?

#### Introduction

TeX, a compiler of mathematical texts.

#### Concerning LaTex precisely

The structure of a LaTex file
The LaTex commands
Do not put the cart before the horses!

## Some examples of presentations.



the good old way

## Some examples of presentations.



Rejection. Soveret a et l'ateux idéoux de l'anneau A , les que a+l=(s) . Alors

Départhation. Etant donnes son nombre 5 eA et son idad. 12 de 11, nous desgonarens par [5].

de clave reductlos de 2 (not 20). Il saget de montre que 1 km montre de commence.

### the good old way

#### 10 Congruences, Normes d'idéaux

Proposition: Soient a et b deux idéaux de l'anneau A, tel que a + b = (1) Alors

$$A/_{ab} \cong A/_a \times A/_b$$

Démonstration Etant donné un nombre  $\xi\in A$  et un idéal m de A, nous désignerons par  $\set{\xi}_m$  la classe résiduelle de  $\xi$  (mod m). Il s'agit de montrer que l'homomorphisme d'anneau...

#### with Word

## Some examples of presentations.

#### \$10 Congruences. Norme des idéaux

Proposition: Soient a et b deux idéaux de l'anneau A, tel que a + b = (1) Alors

Rejustion. Sovert 
$$\alpha$$
 et  $l$  drux idéaux  $d$ .

L'anneau  $\Lambda$ , les que  $\alpha + l = (i)$ . Alow
$$\frac{\Lambda}{6l} \simeq \frac{\Lambda}{2} \times \frac{\Lambda}{l} \cdot .$$

Proposition: Solent a et b deux ideaux de l'anneau A, tel que a + b = (1) Alo

$$^A/_{ab}\cong\,^A/_a\, imes\,^A/_b$$

10 Congruences, Normes d'idéaux

Demonshadion. Elant dommes un nombre 5 eA et sen estael. M de 1, neus designocorres faz {\$\xi\$}\frac{\xi}{m}\$. la clane residence for de \$\xi\$ (next M). Il reget de montre que l'homonoxylésime d'armeeu.

Démonstration Etant donné un nombre  $\xi\in A$  et un idéal m de A, nous désignerons par  $\set{\xi}_m$  la classe résiduelle de  $\xi$  (mod m). Il s'agit de montrer que l'homomorphisme d'anneau...

#### the good old way

### with Word

10. Congruences, Normes d'idéaux

**Proposition**: Soient a et b deux idéaux de l'anneau A, tel que a + b = (1). Alors

$$A/ab \cong A/a \times A/b$$
.

**Démonstration** Etant donné un nombre  $\xi \in A$  et un idéal m de A, nous désignerons par  $\{\xi\}_m$  la classe résiduelle de  $\xi$ (modm). Il s'agit de montrer que l'homomorphisme d'anneau.

#### with LaTex



## The origin of TeX



Donald Knuth

## The origin of TeX



Donald Knuth



Leslie Lamport

+ ► Excellent typpesetting quality

- + ► Excellent typpesetting quality
  - Stability

- + Excellent typpesetting quality
  - Stability
  - free software

- + Excellent typpesetting quality
  - Stability
  - free software
  - small size of documents

- + Excellent typpesetting quality
  - Stability
  - free software
  - small size of documents
  - very portable between various computer systems and OS.

- + ► Excellent typpesetting quality
  - Stability
  - free software
  - small size of documents
  - very portable between various computer systems and OS.
  - Independance of the output file

- + ► Excellent typpesetting quality
  - Stability
  - free software
  - small size of documents
  - very portable between various computer systems and OS.
  - Independance of the output file

- + Excellent typpesetting quality
  - Stability
  - free software
  - small size of documents
  - very portable between various computer systems and OS.
  - Independance of the output file
  - not WYSIWYG (except with some integrators like LYX)

- + ► Excellent typpesetting quality
  - Stability
  - free software
  - small size of documents
  - very portable between various computer systems and OS.
  - Independance of the output file
  - not WYSIWYG (except with some integrators like LYX)
    - a programming langage which has to be learned

- + ► Excellent typpesetting quality
  - Stability
  - free software
  - small size of documents
  - very portable between various computer systems and OS.
  - Independance of the output file
  - not WYSIWYG (except with some integrators like LYX)
    - a programming langage which has to be learned
    - including images, forms, sounds or videos are sometimes not very easy.

- + ► Excellent typpesetting quality
  - Stability
  - free software
  - small size of documents
  - very portable between various computer systems and OS.
  - Independance of the output file
  - not WYSIWYG (except with some integrators like LYX)
    - a programming langage which has to be learned
    - including images, forms, sounds or videos are sometimes not very easy.

## The structure of a LaTex file

\documentclass{beamer}

- ► The heading

## The structure of a LaTex file

```
\documentclass{beamer}
```

```
\usepackage[options] {noms_des_packages}
```

- ► The heading
- the declarative part



## The structure of a LaTex file

```
\documentclass{beamer}
\usepackage[options]{noms_des_packages}
\begin{document}
...
\end{document}
```

- ▶ The heading
- the declarative part
- the main body.



In the main body of the program,

the text is typesetted normally,

- the text is typesetted normally,
- the mathematical text is typed between \$ or between \$\$,

- the text is typesetted normally,
- the mathematical text is typed between \$ or between \$\$,
- ▶ the commands start with a \,

- the text is typesetted normally,
- the mathematical text is typed between \$ or between \$\$,
- ▶ the commands start with a \,
- ▶ le line break is obtained in leaving a blank line or by typping \\,

- the text is typesetted normally,
- the mathematical text is typed between \$ or between \$\$,
- ▶ the commands start with a \,
- ▶ le line break is obtained in leaving a blank line or by typping \\,
- the structure of the text is obtained with the commands,

- the text is typesetted normally,
- the mathematical text is typed between \$ or between \$\$,
- ▶ the commands start with a \,
- ▶ le line break is obtained in leaving a blank line or by typping \\,
- the structure of the text is obtained with the commands,
  - \chapter{ title of the chapiter }

- the text is typesetted normally,
- the mathematical text is typed between \$ or between \$\$,
- ▶ the commands start with a \,
- ▶ le line break is obtained in leaving a blank line or by typping \\,
- the structure of the text is obtained with the commands,
  - \chapter{ title of the chapiter }
  - \section{ title of the section }

- the text is typesetted normally,
- the mathematical text is typed between \$ or between \$\$,
- ▶ the commands start with a \,
- ▶ le line break is obtained in leaving a blank line or by typping \\,
- the structure of the text is obtained with the commands,
  - \chapter{ title of the chapiter }
  - \section{ title of the section }
  - \subsection{ title of the subsection }

In the main body of the program, the different types of texts, like statement, proofs, and so on are created by environments

To present a new result you should use the environment theorem, which is used with \begin{theorem} Statement \end{theorem}

- To present a new result you should use the environment theorem, which is used with \begin{theorem} Statement \end{theorem}
- the mathematical text is in fact the environment \begin{math} Statement \end{math} the symbols \$ or between \$\$ are just shortcuts,

- To present a new result you should use the environment theorem, which is used with \begin{theorem} Statement \end{theorem}
- the mathematical text is in fact the environment \begin{math} Statement \end{math} the symbols \$ or between \$\$ are just shortcuts,
- ➤ A list is created by the environment enumerate (or itemize) \begin{enumerate} \item Statement1 \item Statement2 \end{enumerate}

- To present a new result you should use the environment theorem, which is used with \begin{theorem} Statement \end{theorem}
- the mathematical text is in fact the environment \begin{math} Statement \end{math} the symbols \$ or between \$\$ are just shortcuts,
- ➤ A list is created by the environment enumerate (or itemize) \begin{enumerate} \item Statement1 \item Statement2 \end{enumerate}
- there are many other preexisted environments



- To present a new result you should use the environment theorem, which is used with \begin{theorem} Statement \end{theorem}
- the mathematical text is in fact the environment \begin{math} Statement \end{math} the symbols \$ or between \$\$ are just shortcuts,
- ➤ A list is created by the environment enumerate (or itemize) \begin{enumerate} \item Statement1 \item Statement2 \end{enumerate}
- there are many other preexisted environments
- and you can create your own environments, but this is not something you should stat with.

The structure of a LaTex file
The LaTex commands
Do not put the cart before the horses!

## Do not put the cart before the horses!

the page layout  $\not\Leftrightarrow$  writting

### 

the writting means to tell a story

### 

- the writting means to tell a story
- the page layout is to make the product looking good.

#### the page layout *⇔* writting

- the writting means to tell a story
- the page layout is to make the product looking good.
- Concatenate typset notes is not the same as writting

#### the page layout *⇔* writting

- the writting means to tell a story
- the page layout is to make the product looking good.
- Concatenate typset notes is not the same as writting
- it is good to separate the writting process from the typesetting process.

In order to use and create latex documents, you need to get

In order to use and create latex documents, you need to get

a tex/latex distribution, a good one MikTex

In order to use and create latex documents, you need to get

- a tex/latex distribution, a good one MikTex
- Your favorite pdf viewer, mine is Sumatra

In order to use and create latex documents, you need to get

- a tex/latex distribution, a good one MikTex
- Your favorite pdf viewer, mine is Sumatra
- ► An text editor to type the source file (often associated with an intergrator) suggested TexnicCenter

## Now it is your turn!

Let's go...