

Index

- absolute continuity of measures, 495
 - additivity, 4, 469
 - affine function, 486
 - Aizenman–Higuchi theorem, 155, 290
 - algebra, 491
 - almost everywhere, almost sure, 492
 - analytic continuation
 - pressure, Curie–Weiss, 157
 - pressure, Ising, 156, 216
 - analyticity, **488**
 - cluster expansion, 228
 - antiferromagnet, *see* Ising model
 - Asano contraction, 123

 - backward martingale convergence theorem, 284, **502**
 - Blume–Capel
 - large fields, 271
 - low-temperature Gibbs measure, 368
 - phase diagram, 347, 366
 - pressure, 366
 - Boltzmann
 - entropy, 27
 - principle, 31
 - Boltzmann weight, **23**, 116, 120, 142
 - surface term, 232, 348
 - volume term, 232, 349
 - Borel sets, 492
 - boundary
 - edge boundary, 516
 - exterior, 100, 326
 - interior, 326
 - of configuration, 329
 - thickened, 331
 - boundary condition
 - + boundary condition, 82
 - boundary condition, 82
 - Dobrushin, 147, 209
 - free, 80
 - kernel, 255
 - periodic, 80
 - stable, 160
 - wired, 142
 - with frozen configuration, 81
- box, 38
 - branches, liquid and gas, 186
 - Brownian bridge, 152

 - canonical
 - ensemble, 20
 - Gibbs distribution, 23, 170, 318
 - partition function, 23, 26, 170
 - Carathéodory’s extension theorem, 311, 492
 - Cauchy’s integral theorem, 489
 - Central Limit Theorem, 40, **498**
 - chemical potential
 - grand canonical ensemble, 33
 - lattice gas, function of ρ , 189
 - thermodynamics, 7
 - chessboard estimate, 444
 - closed set, 491
 - cluster
 - FK percolation, 142
 - of polymers, 228
 - support of, 233
 - cluster expansion, 214, **219**
 - convergence, 224
 - clustering, *see* short-range correlation
 - coexistence line, 104, 365
 - coexistence of phases, 206
 - coexistence plateau, 14, 187
 - compactness

- in metric spaces, 491
 - of $\mathcal{M}_1(\Omega)$, 264
 - of Ω , 262
- compatibility of contours, 343
- complete graph, 58
- concave function, 480
- concavity
 - Boltzmann entropy, 31
 - entropy, 8
 - free energy, 12, 32
 - Shannon entropy, 21
- concentration, 29, 40
 - density, lattice gas, 177, 188
 - magnetization, $1d$ Ising, 92
 - magnetization, Curie–Weiss, 60
 - magnetization, Ising model, 288
- condensation, 13, 213
- conditional expectation, **500**
 - tower property, 502
 - version, 501
- conditional probability, 503
 - as a specification, 257
 - regular, 258, 503
- configuration
 - boundary, 329
 - equal at infinity, 327
 - ground state, 327
 - Ising, 38, 81
 - lattice gas, 169
 - restriction, 248
 - thickened boundary, 331
- configuration integral, 24
- conjugate variable, 8
- connectivity
 - c-connectivity, 239, 340
 - maximal component, 340
 - of subsets of \mathbb{Z}^d , 340
- continuity
 - function on Ω , 263
 - function on Ω , uniform, 263
 - in metric spaces, 491
 - lower semi-continuous function, 486
- continuous spins, 305
- contour, 340
 - $2d$ Ising, 111
 - admissibility, 239
 - compatibility of, 343
 - exterior of, 340
 - external, 343
 - interior, 341
 - interior, Ising, 241
 - Ising, 238, 454
 - label, 340
 - of class n , 355
 - stability, 348, 360
 - truncated weight, 356
 - type, 340
 - weight, 345
- contour representation
 - XY anisotropic, 454
 - Ising, 109
 - Pirogov–Sinai, 346
- convergence
 - almost sure, 498
 - configurations, 262, 307
 - in L^p , 498
 - in distribution, 498
 - in metric spaces, 491
 - in probability, 498
 - in the sense of Fisher, 471
 - in the sense of van Hove, 83
 - of probability measures, 264, 307
 - of states, 94
 - of subsets of \mathbb{Z}^d , 83
- convex envelope, 192, 200, **486**
- convexity
 - concave function, 480
 - convex envelope, 486
 - convex function, 480
 - epigraph, 486
 - free energy, 12
 - free energy, lattice gas, 170
 - free energy, van der Waals model, 192
 - midpoint convex function, 482
 - of $\mathcal{G}(\pi)$, 280
 - pressure, 301, 309, 326
 - pressure, Ising, 84
 - pressure, lattice gas, 174
 - strongly convex function, 484
 - supporting line, 484
 - vs. continuity, 481
 - vs. differentiability, 482
- correct point, 329
- correlation inequalities, 97
- correlation length, 162, 401
- correlations
 - algebraic decay, $2d$ XY model, 428, 433
 - decay, $1d$ $O(N)$ models, 427
 - decay, $O(N)$ models, 426
 - decay, XY model, 413
 - decay, Ising, 471
 - decay, massive GFF, 401, 403
 - decay, massless GFF, 394
 - exponential decay, $2d$ XY model, 433

- exponential decay, Ising, 119
 - Ornstein–Zernike behavior, Ising, 471
 - truncated, 144, 471
- coupling, 137, 368
- coupling constants, 127, 185
- covariance matrix, 384, **504**
- critical, 61
- critical exponent, 162
 - $2d$ Ising, 45
 - Curie–Weiss, 72, 77
- critical phenomena, 160
- critical point, 161
- critical temperature
 - $2d$ Ising, 45, 132
 - Curie–Weiss, 59, 134
 - Ising, 107, 134
 - monotonicity in d , 115
 - Van der Waals, 15
 - van der Waals model, 192
- cumulant generating function, 499
- cumulative distribution function, 497
- Curie temperature, 37
- Curie–Weiss
 - Hamiltonian, 191
- Curie–Weiss model, 57
- cutoff function, 355
- cylinder, 249, 305, 523
- cylinders, algebra of, 249

- degeneracy lifting, 336
- delocalization, 392, 402, 425
- dense set, 491
- diagonalization argument, 262, 523
- diameter, 326
- differentiability
 - free energy, lattice gas, 177
 - left, right, 482
 - one-sided derivative, 482
 - pressure, $1d$ models, 311
 - pressure, Blume–Capel, 366
 - pressure, Ising, 108, 311
- Dirichlet energy, 422
- Dirichlet problem, 389
 - massive, 397
- discrete
 - Dirichlet problem, 389, 397
 - gradient, 387
 - Green identities, 387
 - harmonic, 389, 397
 - Laplacian, 387
- distance
 - between configurations, 262
 - between measures, 264
 - in metric spaces, 491
 - total variation distance, 507
- distribution function, 497
- Dobrushin’s condition of weak dependence, 268
- dominated convergence theorem, 495
- Doob–Dynkin lemma, 493
- droplet model, 216
- dual lattice, 110
- duality, 132
- dusting lemma, 269
- Dynkin system, 493

- effective interface models, 407
- energy density
 - average, 300
 - average, Curie–Weiss, 74
 - Curie–Weiss, 64
 - ground state, 234
- energy shell, 19
- energy, thermodynamics, 3
- energy-entropy, 42, 191, 224, 297
- ensemble, 19
 - canonical, 20
 - grand canonical, 23
 - microcanonical, 19
- entropy
 - Boltzmann, 27
 - relative, 510
 - Shannon, 21, 297, 507
 - thermodynamics, 4
- entropy density
 - Boltzmann, 29, **30**, 319
 - Curie–Weiss, 64
- epigraph, 486
- equal-area rule, *see* Maxwell’s construction
- equation of state, 8
 - ideal gas, 9, 34
 - real gas, 214
 - Van der Waals, 14
- equilibrium
 - thermodynamic, 3
- equilibrium shape, 211
- equivalence of ensembles, 47, 176, 183, 206, 318
 - van der Waals model, 192
- equivalence of measures, 495
- ergodic
 - probability measure, 279
 - theorem, 47, 279
- Euler relation, 8
- evaluation map, 293
- event

- σ -algebra, 249
 - increasing, 98
 - local, 249
 - tail, 281
- exchangeable, 71
- excitation, 42, 375
- exponential mixing, 371
- exponential relaxation, 371
- extension of a probability measure, 282
- extensive, 3
- extensivity, 469
- extremal decomposition, 291, 308
- extremum principle, 4, 12

- Feller property, 265
- ferromagnetic model, 39
- ferromagnetism, 35, 36
 - Curie–Weiss, 67
- finite-range interaction, 169
- finite-size effect, 234
- finitely additive set function, 492
- first-order phase transition, 37
 - analytic definition, 89, 309
 - Pirogov–Sinai, 321, 366
 - probabilistic definition, 103, 261
- FKG inequality, 99, 128, 136
- fluctuations, 4
- Fourier transform, 460
- free energy, **32**
 - canonical ensemble, 32
 - Curie–Weiss, 61
 - Gibbs, 302
 - hard-core lattice gas, 182
 - Helmholtz, 11
 - lattice gas, 170
 - lattice gas, analyticity, 187
 - van der Waals model, 191
- Fubini–Tonelli theorem, 496
- fugacity, 214

- gas
 - continuum, 24
 - lattice, 25
- Gaussian
 - centered, 384
 - characteristic function, 384
 - covariance matrix, 384, **504**
 - field, 386, **506**
 - mean, 384, **504**
 - measure, 386
 - normal standard, 498
 - vector, 383, **504**
 - vector, convergence, 505
- Gaussian domination, 463

- Gaussian Free Field, 379
 - Hamiltonian, 381
 - link with Ising model, 407
 - massive, 381, 397
 - massive, RW representation, 399, 400
 - massless, 381, 389
 - massless, RW representation, 391
- generating function, cumulant, 88
- GFF, *see* Gaussian Free Field
- GHS inequality, 120, 132
- Gibbs distribution, 1, **23**
 - canonical, 23, 170
 - grand canonical, 23, 174
- Gibbs measure, **261**
 - Blume–Capel, 368
 - closedness of $\mathcal{G}(\pi)$, 266
 - convexity of $\mathcal{G}(\pi)$, 280
 - extremal, 281, 307
 - gradient model $d = 1, 2$, 425
 - Ising, 287
 - massive GFF, 400
 - massless GFF $d = 1, 2$, 393
 - massless GFF $d \geq 3$, 394
 - non-extremal, 289
 - non-uniqueness, 308
 - pathologies, 319
 - prepared with boundary condition, 266
 - singularity of extremal measures, 285
 - uniqueness, 268
 - uniqueness, boundary condition, 267
- Gibbs sampler, 137
- Gibbs state
 - $2d$ Ising, 152
 - $3d$ Ising, 146
 - Ising, 94
- GKS inequalities, 98, 127
- gradient gibbs states, 407
- gradient model, 380, 424
- grand canonical
 - ensemble, 23
 - Gibbs distribution, 23, 174
 - partition function, 26, 174
- grand potential, 12
- Green identities, 387
- ground state, **327**
 - energy density, 328
 - Ising, 41
 - periodic, 327
 - stable, 367

- Hamiltonian, **18**, **259**
 $O(N)$ model, 412
 $O(N)$ model, torus, 459
 XY model, 412
 Curie–Weiss, 58
 anisotropic XY model, 416
 associated to a potential, 326
 Blume–Capel, 323
 continuum gas, 24
 formal, 261
 Gaussian Free Field, 381
 Heisenberg model, 412
 Ising, 39, 81
 Ising, modified, 323
 lattice gas, 26, 169
 relative, 327
 hard-core, **26**, 34, 228
 harmonic, 389
 m -harmonic, 397
 harmonic crystal, *see* Gaussian Free Field
 heat capacity
 Curie–Weiss, 74
 ideal gas, 9
 Helmholtz free energy, *see* free energy
 high-temperature representation
 Ising, 116, 132, 237
 Hölder inequality, 478
 holomorphic function, 488
 homogeneous function, 7, 8
 homogeneous system, 14, 180
 Hubbard–Stratonovich transformation,
 70, 407
 Hurwitz theorem, 490

 i.i.d. random variables, 498
 ideal gas, 9, 183
 implicit function theorem, 491, 523
 increasing event, 98
 independence, 498
 mutual, 498
 pairwise, 498
 inequalities
 arithmetic-geometric, 478
 Brunn–Minkowski, 517
 Chebychev, 497
 Chernov, 497
 FKG, 99
 FKG, proof, 128, 136
 GHS, 120, 132
 GKS, 98
 GKS, proof, 127
 Hölder, 478
 Jensen, 480, **497**
 Markov, 497
 Pinsker, 512
 infrared bound, 459
 integral with respect to a measure, 494
 intensive, 8
 interface, 149
 $2d$ Ising, 151
 $3d$ Ising, 150
 interior of contour, 341
 Ising, 112
 internal energy, 3
 inverse critical temperature, *see* critical
 temperature
 inverse temperature, **32**, 33, 80
 Isakov theorem, 159
 Ising model, **37**, **79**
 d -dimensional, 114
 antiferromagnet, 140, 280, 334
 contour, 109, 238, 454
 ergodicity, 288
 extremality, 287
 interface, 149
 large field, 229, 271, 450
 link with GFF, 407
 long-range, 260
 modified, 323, 334
 one-dimensional, 42, **90**
 three-dimensional, 146, 286
 two-dimensional, 43
 two-dimensional, simplex, 290
 isolated system, 3
 isoperimetric inequality, 349, **516**
 isotherm, **9**
 hard-core lattice gas, 183
 nearest-neighbor lattice gas, 190
 Van der Waals, 15
 van der Waals, 195
 Isserlis' theorem, 385

 Kac interactions, 198
 Kac limit, *see* van der Waals limit
 Kolmogorov
 consistency, 251
 extension theorem, 251
 Kozlov–Sullivan theorem, 472
 Kramers–Wannier duality, 132

 label of a contour, 340
 large deviations
 $1d$ Ising, 92
 Curie–Weiss, 61, 68
 lattice gas, 178
 largest term, 31
 lattice, 25
 bipartite, 141

- cubic, 25
- even, odd, 140
- lattice gas, **25, 168**
 - hard-core, 26, 34, 181
 - mapping with Ising model, 45, 184
 - nearest neighbor (Ising), 184
 - van der Waals, 190
- Law of Large Numbers, 40, 47, 288, **498**
 - Curie–Weiss, 60
- Lebowitz–Penrose limit, *see* van der Waals limit
- Lee–Yang
 - circle theorem, 122, 186
 - theorem, 121, 235
- Legendre transform, 11, 65, 191, **485**
 - non-differentiable function, 487
- Lévy’s continuity theorem, 500
- liquid-vapor equilibrium, 14, 167
- local function, 94, 444
 - support, 94
- local limit theorem, 513
- locally uniformly bounded family of functions, 490
- log-moment generating function, 499
- logarithm branch, 489
- long-range order
 - Ising, 108
 - orientational, 412, 437
 - Potts, 462
 - quasi, 413
- low-temperature representation
 - Ising, 109, 132, 238
- lower semi-continuity, 486

- m-potential, *see* potential
- macroscopic events and observables, 281
- macrostate, 3
- magnetic field, 35, 80
- magnetic susceptibility, *see* susceptibility
- magnetization, 36
 - 1d Ising, 91
 - 2d Ising, 46
 - Ising, large β , 242
- magnetization density, 40
 - $O(N)$ models, 416
 - XY model, 451
 - Curie–Weiss, 59
 - Ising, 87, 105, 126, 288
- marginal, 251
- Markov property, spatial, 99
- mass, 381
- Maximum entropy principle, 20
- Maxwell’s Construction, 15, 197
- Mayer expansion, 236

- Mayer’s conjecture, 214
- mean-field
 - “naive”, 69
 - approximation, 57
 - bounds, 76
 - equation, 63, 66, 69
 - lattice gas, 191
 - limit, 76
- mean-field bounds, 134
- measurable
 - function, 249, **493**
 - function, real, 494
 - sets, 492
 - space, 492
- measure, **492**
 - equivalent, 495
 - extension, 492
 - extremal, 281
 - finite, 492
 - Lebesgue, 496
 - on an algebra, 492
 - probability, 492
 - σ -finite, 492
 - singular, 495
 - translation invariant, 496
- Mermin–Wagner theorem, 415
- metastability, 215
 - Ising, 159
- metric space, **491**
 - compact, 491
 - metric, 491
 - separable, 491
 - sequentially compact, 491
- microcanonical distribution, 19, 318
- microstate, 2, 18
- Minlos–Sinai trick, 474
- mixing, *see* short-range correlation
- moment generating function, 499
- momentum, 24
- monotone class, 493
- monotone convergence theorem, 495
- monotonicity
 - in boundary condition, 100, 101
 - in coupling constants, 128
 - in volume, 99, 100

- nearest neighbor, 38
- non-uniqueness, *see* first-order phase transition
 - Ising low temperature, 104
 - of Gibbs measure, 261
- nondecreasing function, 98

- observable, 18

- occupation number, 25, 96, 169
- $O(N)$ model, 437
- open set, 491
- order parameter
 - Ising, 126
- Ornstein–Zernike behavior, 471
- oscillation, 268

- parallelepiped, 479
- paramagnetism, 35
 - 1d Ising, 90
 - Curie–Weiss, 67
- partial order, 98
- partition function, 1
 - canonical, 23, 26, 170
 - Curie–Weiss, 58
 - grand canonical, 26, 174
 - Ising model, 80–82
 - Ising model, zeroes, 121, 125
 - polymer, 221
 - polymer representation, 346
- pathologies, 319
- Pecherski’s counter-example, 335
- Peierls’ argument
 - anisotropic XY model, 454
 - Ising, 109
- Peierls’ condition, 331
- Peierls’ constant, 331, 332
 - Blume–Capel, 332
 - rescaled potential, 537
- percolation
 - Bernoulli, 142
 - FK, 142
 - FK, cluster, 142
- phase coexistence
 - Curie–Weiss, 61
 - Ising, 104
 - Pirogov–Sinai, 324
- phase diagram
 - Blume–Capel, 324, 347
 - completeness, 374
 - Ising, 103
 - Ising $d \geq 2$, 104, 322
 - large- β asymptotics, 375
 - zero-temperature, 324, 337
- phase separation, 206
- phase transition, 14, 47
 - $O(N)$ model, $d \geq 3$, 437
 - XY model, anisotropic $d \geq 2$, 438
 - Berezinskii–Kosterlitz–Thouless, 433
 - Blume–Capel, 366
 - continuous, 72, 161
 - Curie–Weiss, 59
 - Ising, 104
 - Kac interactions, 212
 - lattice gas, 186
 - Pinsker’s inequality, 421, **512**
 - Pirogov–Sinai theory, 217, 321
 - Plancherel theorem, 460
 - plaquette, 149
 - Pólya theorem, 514
 - polymer, 220, 314
 - activity, 221
 - cluster, 228
 - compatibility, 228
 - decomposability, 228
 - partition function, 221
 - support, 314
 - weight, 221, 314
 - polymer model, **220**
 - positive correlation, 98, 174
 - potential, 259
 - $O(N)$ model, 306
 - XY model, 306
 - absolutely summable, 259
 - Blume–Capel, 259
 - finite-range, 259, 326
 - Gaussian Free Field, 306
 - Heisenberg model, 306
 - invariant under transformation, 277
 - Ising, 259
 - m-potential, 333
 - perturbation, 335
 - physical equivalence, 261
 - Potts, 259
 - rescaled, 339
 - translation invariant, 326
 - uniformly absolutely summable, 300
 - uniqueness criterion, 272
 - potential kernel, 433
 - Potts model, 141, 459
 - antiferromagnet, 272
 - pressure, **33**, 311
 - 1d Ising, 90
 - 2d Ising, 93
 - $O(N)$ model, 462
 - analytic continuation, 214
 - anisotropic XY model, 458
 - associated to a potential, 301, 309, 326
 - Curie–Weiss, 65, 67, 134
 - finite volume, Ising, 83
 - function of ρ , v , 188
 - grand canonical ensemble, 33
 - hard-core lattice gas, 182

- Ising, 45, 134
- Ising model, terminology, 45
- Ising, analyticity, 120, 156, 238, 240
- isotherm, 9
- lattice gas, 174
- lattice gas (Ising), 185
- lattice gas, analyticity, 186, 190
- polymer models, 352
- saturation, 15, 190
- thermodynamics, 7, 13
- truncated, 338, 355
- van der Waals limit, 200
- van der Waals model, 191
- Principle of Insufficient Reason, 21, 469
- probability kernel, 255
 - composition, 256
 - consistency, 256
 - infinite-volume, 293
 - proper, 255
- probability measure, **492**
 - compatible with specification, 256
- product
 - σ -algebra, 496
 - measure, 251, 298, 496
 - space, 496
- projection map, 248
- PST, *see* Progov–Sinai theory 321
- quasilocal
 - function, 263
 - specification, 265
- Radon–Nikodým theorem, 495
- random variable, 497
 - characteristic function, 500
 - conditional expectation, 500
 - connected correlation function, 499
 - cumulant, 499
 - distribution, 497
 - expectation, 497
 - i.i.d., 498
 - independent, 498
 - moment, 499
 - semi-invariant, 499
 - standard normal, 498
 - truncated correlation function, 499
 - Ursell function, 499
 - variance, 497
 - with density, 497
- random vector, 503
 - distribution, 503
- random walk, 390, 422, **513**
 - Green function, 390, 431, **515**
 - killed, 398, 541
 - potential kernel, 433, **516**
 - recurrence, transience, 514
 - stopping time, 513
- random walk representation, 390
- random-cluster representation, 141
- random-current representation, 143
- range (of potential), 259
- rate function
 - Curie–Weiss, 62, 68
 - lattice gas, 178
- rectangle, 496
- reference measure, 306, 442
- reflection
 - through edges, 440
 - through vertices, 439
- reflection positive, 441
- relative entropy, 298, 421, **510**
- relative Hamiltonian, *see* Hamiltonian
- relaxation
 - 2d Ising, 153, 156
 - high temperature, 274
- renormalization group, 162, 320
 - pathologies, 163
- reservoir, 10
- restricted ensemble, 376
- restriction
 - of configuration, 101
 - of probability measure, 282
- Riesz–Markov–Kakutani representation theorem, 95, 250, 312
- roughening transition, 151
- saturation pressure, *see* pressure
- scaling parameter, 199
- sea with islands, 109, 114, 372
- short-range correlation, 103, 282
- σ -algebra, 491
 - Borel sets, 492
 - generated by a function, 493
 - generated by sets, 492
- simple function, 494
- sine-Gordon transformation, 409
- singular measures, 495
- singularity, 47, 216
- specific entropy, 299
 - upper semicontinuity, 300
- specific volume, **9**
- specification, 256
 - compatible probability measure, 256
 - finite energy, 472
 - Gibbsian, 258, 306
 - invariant, 277, 308
 - non-null, 472

- quasilocal, 265
- spin, 38, 80
- spin flip, 39, 113, 277
- spin wave, 418
- spontaneous magnetization, 36
 - 2d Ising, 45
 - Curie–Weiss, 59
 - Ising, **89**, 106, 126
- spontaneously broken symmetry, 41, 109, 278
- stability, 12
- stability of contour, 348
- stable
 - boundary condition, 160
- state, 94, 250
 - Dobrushin, 147
 - Gibbs, 94
 - metastable, 215
 - non-translation-invariant, 147
 - translation invariant, 95
- statistical mechanics, 17
- Stein’s method, 71
- Stirling’s formula, **478**
- stochastic domination, 138
- strict convexity of pressure, 175, 179
- subadditivity
 - for existence of pressure, 87
 - lattice gas, 172
 - strong, 471
 - subadditive sequence, 479
- subcritical, 15, 61
- supercritical, 15, 61
- support
 - cluster, 233
 - contour, 340
 - polymer, 314
- supporting line, 484
- surface energy, 345
- surface tension, 209
- surrounding set, 368
- susceptibility, 72, 383
- switching lemma, 144
- symmetry
 - continuous, 308, 411
 - explicit breaking, 278
 - spontaneous breaking, 41, 278
 - spontaneous breaking, Ising, 109
 - under a transformation, 277
 - under global rotation of the spins, 414
 - under spin flip, 39
- tail- σ -algebra, 281
 - triviality, 282, 307
- Taylor series, inverse, 237
- temperature
 - thermodynamics, 6
- thermodynamic limit, **46**, 83
 - XY model, 413
 - canonical ensemble, 32
 - extremal Gibbs measure, 286
 - Gaussian Free Field, massive, 400
 - Gaussian Free Field, massless, 393
 - grand canonical ensemble, 33
 - Ising, 45
 - Ising model, 39
 - microcanonical ensemble, 30
- thermodynamic potential, 10
- thermostatistics, 2
- thin subset of \mathbb{Z}^d , 342
- topology
 - on $\mathcal{M}_1(\Omega)$, 264
 - on Ω , 262
- torus, 438
 - reciprocal, 460
- total oscillation, 268
- total variation distance, 268, **506**
- transfer matrix, 91, 139
- transformation
 - internal, 276
 - spatial, 276
- translation, 278
- translation invariant
 - events, 279
 - probability measure, 278
 - specification, 280
 - state, 95
- +1 – 1 trick, 314
- triviality of a σ -algebra, 282
- truncated correlation, 144, 243
- type of a contour, 340
- uniqueness
 - 1d Ising, 104
 - 1d models, 275
 - Gibbs measure, Dobrushin, 268
 - Gibbs specification, 272
 - high temperature, cluster expansion, 274
 - Ising, 104
 - Ising $h \neq 0$, 104, 119
 - Ising high temperature, 104, 116
 - long-range Ising, 273
 - Potts antiferromagnet, 272
 - vs. differentiability, 311
 - vs. differentiability, Ising, 108, 311
- uniqueness vs. non-uniqueness, 103
- universality, 49, 72, 161

- unpredictability, 20, 508
- upper critical dimension, 77, 162
- Ursell function, 222, 499

- Van der Waals equation, 14
- van der Waals limit, **198**, 217
 - pressure, free energy, 200
- Van der Waals–Maxwell theory, 13
- variational principle, 318, 319
 - finite version, 298
- virial coefficient, 236

- virial expansion, 215, 235
 - lattice gas, 237
- Vitali convergence theorem, 490

- Weierstrass' theorem, 490
- Wick's formula, 385
- Wulff shape, 211

- XY* model
 - anisotropic, 437