

Index

- absolute continuity of measures, 495
- additivity, 4, 469
- affine function, 486
- Aizenman–Higuchi theorem, 155, 290
- algebra, 491
- almost everywhere, almost sure, 492
- analytic continuation
 - pressure, Curie–Weiss, 157
 - pressure, Ising, 156, 216
- analyticity, **488**
 - cluster expansion, 228
- antiferromagnet, *see* Ising model
- Asano contraction, 123

- backward martingale convergence theorem, 284, **502**
- Blume–Capel
 - large fields, 271
 - low-temperature Gibbs measure, 368
 - phase diagram, 347, 366
 - pressure, 366
- Boltzmann
 - entropy, 27
 - principle, 31
- Boltzmann weight, **23**, 116, 120, 142
 - surface term, 232, 348
 - volume term, 232, 349
- Borel sets, 492
- boundary
 - edge boundary, 516
 - exterior, 100, 326
 - interior, 326
 - of configuration, 329
 - thickened, 331
- boundary condition
 - + boundary condition, 82
 - boundary condition, 82
- Dobrushin, 147, 209
- free, 80
- kernel, 255
- periodic, 80
- stable, 160
- wired, 142
- with frozen configuration, 81
- box, 38
- branches, liquid and gas, 186
- Brownian bridge, 152

- canonical
 - ensemble, 20
 - Gibbs distribution, 23, 170, 318
 - partition function, 23, 26, 170
- Carathéodory’s extension theorem, 311, 492
- Cauchy’s integral theorem, 489
- Central Limit Theorem, 40, **498**
- chemical potential
 - grand canonical ensemble, 33
 - lattice gas, function of ρ , 189
 - thermodynamics, 7
- chessboard estimate, 444
- closed set, 491
- cluster
 - FK percolation, 142
 - of polymers, 228
 - support of, 233
- cluster expansion, 214, **219**
 - convergence, 224
- clustering, *see* short-range correlation
- coexistence line, 104, 365
- coexistence of phases, 206
- coexistence plateau, 14, 187
- compactness

- in metric spaces, 491
 - of $\mathcal{M}_1(\Omega)$, 264
 - of Ω , 262
- compatibility of contours, 343
- complete graph, 58
- concave function, 480
- concavity
 - Boltzmann entropy, 31
 - entropy, 8
 - free energy, 12, 32
 - Shannon entropy, 21
- concentration, 29, 40
 - density, lattice gas, 177, 188
 - magnetization, 1d Ising, 92
 - magnetization, Curie–Weiss, 60
 - magnetization, Ising model, 288
- condensation, 13, 213
- conditional expectation, **500**
 - tower property, 502
 - version, 501
- conditional probability, 503
 - as a specification, 257
 - regular, 258, 503
- configuration
 - boundary, 329
 - equal at infinity, 327
 - ground state, 327
 - Ising, 38, 81
 - lattice gas, 169
 - restriction, 248
 - thickened boundary, 331
- configuration integral, 24
- conjugate variable, 8
- connectivity
 - c-connectivity, 239, 340
 - maximal component, 340
 - of subsets of $\mathbb{Z}^d$, 340
- continuity
 - function on Ω , 263
 - function on Ω , uniform, 263
 - in metric spaces, 491
 - lower semi-continuous function, 486
- continuous spins, 305
- contour, 340
 - 2d Ising, 111
 - admissibility, 239
 - compatibility of, 343
 - exterior of, 340
 - external, 343
 - interior, 341
 - interior, Ising, 241
 - Ising, 238, 454
 - label, 340
 - of class n , 355
 - stability, 348, 360
 - truncated weight, 356
 - type, 340
 - weight, 345
- contour representation
 - XY anisotropic, 454
 - Ising, 109
 - Pirogov–Sinai, 346
- convergence
 - almost sure, 498
 - configurations, 262, 307
 - in L^p , 498
 - in distribution, 498
 - in metric spaces, 491
 - in probability, 498
 - in the sense of Fisher, 471
 - in the sense of van Hove, 83
 - of probability measures, 264, 307
 - of states, 94
 - of subsets of $\mathbb{Z}^d$, 83
- convex envelope, 192, 200, **486**
- convexity
 - concave function, 480
 - convex envelope, 486
 - convex function, 480
 - epigraph, 486
 - free energy, 12
 - free energy, lattice gas, 170
 - free energy, van der Waals model, 192
 - midpoint convex function, 482
 - of $\mathcal{G}(\pi)$, 280
 - pressure, 301, 309, 326
 - pressure, Ising, 84
 - pressure, lattice gas, 174
 - strongly convex function, 484
 - supporting line, 484
 - vs. continuity, 481
 - vs. differentiability, 482
- correct point, 329
- correlation inequalities, 97
- correlation length, 162, 401
- correlations
 - algebraic decay, 2d XY model, 428, 433
 - decay, 1d $O(N)$ models, 427
 - decay, $O(N)$ models, 426
 - decay, XY model, 413
 - decay, Ising, 471
 - decay, massive GFF, 401, 403
 - decay, massless GFF, 394
 - exponential decay, 2d XY model, 433

- exponential decay, Ising, 119
 - Ornstein–Zernike behavior, Ising, 471
 - truncated, 144, 471
- coupling, 137, 368
- coupling constants, 127, 185
- covariance matrix, 384, **504**
- critical, 61
- critical exponent, 162
 - $2d$ Ising, 45
 - Curie–Weiss, 72, 77
- critical phenomena, 160
- critical point, 161
- critical temperature
 - $2d$ Ising, 45, 132
 - Curie–Weiss, 59, 134
 - Ising, 107, 134
 - monotonicity in d , 115
 - Van der Waals, 15
 - van der Waals model, 192
- cumulant generating function, 499
- cumulative distribution function, 497
- Curie temperature, 37
- Curie–Weiss
 - Hamiltonian, 191
- Curie–Weiss model, 57
- cutoff function, 355
- cylinder, 249, 305, 523
- cylinders, algebra of, 249
- degeneracy lifting, 336
- delocalization, 392, 402, 425
- dense set, 491
- diagonalization argument, 262, 523
- diameter, 326
- differentiability
 - free energy, lattice gas, 177
 - left, right, 482
 - one-sided derivative, 482
 - pressure, $1d$ models, 311
 - pressure, Blume–Capel, 366
 - pressure, Ising, 108, 311
- Dirichlet energy, 422
- Dirichlet problem, 389
 - massive, 397
- discrete
 - Dirichlet problem, 389, 397
 - gradient, 387
 - Green identities, 387
 - harmonic, 389, 397
 - Laplacian, 387
- distance
 - between configurations, 262
 - between measures, 264
 - in metric spaces, 491
 - total variation distance, 507
- distribution function, 497
- Dobrushin's condition of weak dependence, 268
- dominated convergence theorem, 495
- Doob–Dynkin lemma, 493
- droplet model, 216
- dual lattice, 110
- duality, 132
- dusting lemma, 269
- Dynkin system, 493
- effective interface models, 407
- energy density
 - average, 300
 - average, Curie–Weiss, 74
 - Curie–Weiss, 64
 - ground state, 234
- energy shell, 19
- energy, thermodynamics, 3
- energy-entropy, 42, 191, 224, 297
- ensemble, 19
 - canonical, 20
 - grand canonical, 23
 - microcanonical, 19
- entropy
 - Boltzmann, 27
 - relative, 510
 - Shannon, 21, 297, 507
 - thermodynamics, 4
- entropy density
 - Boltzmann, 29, **30**, 319
 - Curie–Weiss, 64
- epigraph, 486
- equal-area rule, *see* Maxwell's construction
- equation of state, 8
 - ideal gas, 9, 34
 - real gas, 214
 - Van der Waals, 14
- equilibrium
 - thermodynamic, 3
- equilibrium shape, 211
- equivalence of ensembles, 47, 176, 183, 206, 318
 - van der Waals model, 192
- equivalence of measures, 495
- ergodic
 - probability measure, 279
 - theorem, 47, 279
- Euler relation, 8
- evaluation map, 293
- event

- σ -algebra, 249
- increasing, 98
- local, 249
- tail, 281
- exchangeable, 71
- excitation, 42, 375
- exponential mixing, 371
- exponential relaxation, 371
- extension of a probability measure, 282
- extensive, 3
- extensivity, 469
- extremal decomposition, 291, 308
- extremum principle, 4, 12
- Feller property, 265
- ferromagnetic model, 39
- ferromagnetism, 35, 36
 - Curie–Weiss, 67
- finite-range interaction, 169
- finite-size effect, 234
- finitely additive set function, 492
- first-order phase transition, 37
 - analytic definition, 89, 309
 - Pirogov–Sinai, 321, 366
 - probabilistic definition, 103, 261
- FKG inequality, 99, 128, 136
- fluctuations, 4
- Fourier transform, 460
- free energy, **32**
 - canonical ensemble, 32
 - Curie–Weiss, 61
 - Gibbs, 302
 - hard-core lattice gas, 182
 - Helmholtz, 11
 - lattice gas, 170
 - lattice gas, analyticity, 187
 - van der Waals model, 191
- Fubini–Tonelli theorem, 496
- fugacity, 214
- gas
 - continuum, 24
 - lattice, 25
- Gaussian
 - centered, 384
 - characteristic function, 384
 - covariance matrix, 384, **504**
 - field, 386, **506**
 - mean, 384, **504**
 - measure, 386
 - normal standard, 498
 - vector, 383, **504**
 - vector, convergence, 505
- Gaussian domination, 463
- Gaussian Free Field, 379
 - Hamiltonian, 381
 - link with Ising model, 407
 - massive, 381, 397
 - massive, RW representation, 399, 400
 - massless, 381, 389
 - massless, RW representation, 391
- generating function, cumulant, 88
- GFF, *see* Gaussian Free Field
- GHS inequality, 120, 132
- Gibbs distribution, 1, **23**
 - canonical, 23, 170
 - grand canonical, 23, 174
- Gibbs measure, **261**
 - Blume–Capel, 368
 - closedness of $\mathcal{G}(\pi)$, 266
 - convexity of $\mathcal{G}(\pi)$, 280
 - extremal, 281, 307
 - gradient model $d = 1, 2$, 425
 - Ising, 287
 - massive GFF, 400
 - massless GFF $d = 1, 2$, 393
 - massless GFF $d \geq 3$, 394
 - non-extremal, 289
 - non-uniqueness, 308
 - pathologies, 319
 - prepared with boundary condition, 266
 - singularity of extremal measures, 285
 - uniqueness, 268
 - uniqueness, boundary condition, 267
- Gibbs sampler, 137
- Gibbs state
 - $2d$ Ising, 152
 - $3d$ Ising, 146
 - Ising, 94
- GKS inequalities, 98, 127
- gradient gibbs states, 407
- gradient model, 380, 424
- grand canonical
 - ensemble, 23
 - Gibbs distribution, 23, 174
 - partition function, 26, 174
- grand potential, 12
- Green identities, 387
- ground state, **327**
 - energy density, 328
 - Ising, 41
 - periodic, 327
 - stable, 367

- Hamiltonian, **18, 259**
 - $O(N)$ model, 412
 - $O(N)$ model, torus, 459
 - XY model, 412
 - Curie–Weiss, 58
 - anisotropic XY model, 416
 - associated to a potential, 326
 - Blume–Capel, 323
 - continuum gas, 24
 - formal, 261
 - Gaussian Free Field, 381
 - Heisenberg model, 412
 - Ising, 39, 81
 - Ising, modified, 323
 - lattice gas, 26, 169
 - relative, 327
- hard-core, **26, 34, 228**
- harmonic, 389
- m -harmonic, 397
- harmonic crystal, *see* Gaussian Free Field
- heat capacity
 - Curie–Weiss, 74
 - ideal gas, 9
- Helmholtz free energy, *see* free energy
- high-temperature representation
 - Ising, 116, 132, 237
- Hölder inequality, 478
- holomorphic function, 488
- homogeneous function, 7, 8
- homogeneous system, 14, 180
- Hubbard–Stratonovich transformation, 70, 407
- Hurwitz theorem, 490
- i.i.d. random variables, 498
- ideal gas, 9, 183
- implicit function theorem, 491, 523
- increasing event, 98
- independence, 498
 - mutual, 498
 - pairwise, 498
- inequalities
 - arithmetic-geometric, 478
 - Brunn–Minkowski, 517
 - Chebychev, 497
 - Chernov, 497
 - FKG, 99
 - FKG, proof, 128, 136
 - GHS, 120, 132
 - GKS, 98
 - GKS, proof, 127
 - Hölder, 478
 - Jensen, 480, **497**
 - Markov, 497
 - Pinsker, 512
- infrared bound, 459
- integral with respect to a measure, 494
- intensive, 8
- interface, 149
 - $2d$ Ising, 151
 - $3d$ Ising, 150
- interior of contour, 341
 - Ising, 112
- internal energy, 3
- inverse critical temperature, *see* critical temperature
- inverse temperature, **32, 33, 80**
- Isakov theorem, 159
- Ising model, **37, 79**
 - d -dimensional, 114
 - antiferromagnet, 140, 280, 334
 - contour, 109, 238, 454
 - ergodicity, 288
 - extremality, 287
 - interface, 149
 - large field, 229, 271, 450
 - link with GFF, 407
 - long-range, 260
 - modified, 323, 334
 - one-dimensional, 42, **90**
 - three-dimensional, 146, 286
 - two-dimensional, 43
 - two-dimensional, simplex, 290
- isolated system, 3
- isoperimetric inequality, 349, **516**
- isotherm, **9**
 - hard-core lattice gas, 183
 - nearest-neighbor lattice gas, 190
 - Van der Waals, 15
 - van der Waals, 195
- Isserlis' theorem, 385
- Kac interactions, 198
- Kac limit, *see* van der Waals limit
- Kolmogorov
 - consistency, 251
 - extension theorem, 251
- Kozlov–Sullivan theorem, 472
- Kramers–Wannier duality, 132
- label of a contour, 340
- large deviations
 - $1d$ Ising, 92
 - Curie–Weiss, 61, 68
 - lattice gas, 178
- largest term, 31
- lattice, 25
 - bipartite, 141

- cubic, 25
- even, odd, 140
- lattice gas, **25, 168**
 - hard-core, 26, 34, 181
 - mapping with Ising model, 45, 184
 - nearest neighbor (Ising), 184
 - van der Waals, 190
- Law of Large Numbers, 40, 47, 288, **498**
 - Curie–Weiss, 60
- Lebowitz–Penrose limit, *see* van der Waals limit
- Lee–Yang
 - circle theorem, 122, 186
 - theorem, 121, 235
- Legendre transform, 11, 65, 191, **485**
 - non-differentiable function, 487
- Lévy’s continuity theorem, 500
- liquid-vapor equilibrium, 14, 167
- local function, 94, 444
 - support, 94
- local limit theorem, 513
- locally uniformly bounded family of functions, 490
- log-moment generating function, 499
- logarithm branch, 489
- long-range order
 - Ising, 108
 - orientational, 412, 437
 - Potts, 462
 - quasi, 413
- low-temperature representation
 - Ising, 109, 132, 238
- lower semi-continuity, 486
- m-potential, *see* potential
- macroscopic events and observables, 281
- macrostate, 3
- magnetic field, 35, 80
- magnetic susceptibility, *see* susceptibility
- magnetization, 36
 - 1d Ising, 91
 - 2d Ising, 46
 - Ising, large β , 242
- magnetization density, 40
 - $O(N)$ models, 416
 - XY model, 451
 - Curie–Weiss, 59
 - Ising, 87, 105, 126, 288
- marginal, 251
- Markov property, spatial, 99
- mass, 381
- Maximum entropy principle, 20
- Maxwell’s Construction, 15, 197
- Mayer expansion, 236
- Mayer’s conjecture, 214
- mean-field
 - “naive”, 69
 - approximation, 57
 - bounds, 76
 - equation, 63, 66, 69
 - lattice gas, 191
 - limit, 76
- mean-field bounds, 134
- measurable
 - function, 249, **493**
 - function, real, 494
 - sets, 492
 - space, 492
- measure, **492**
 - equivalent, 495
 - extension, 492
 - extremal, 281
 - finite, 492
 - Lebesgue, 496
 - on an algebra, 492
 - probability, 492
 - σ -finite, 492
 - singular, 495
 - translation invariant, 496
- Mermin–Wagner theorem, 415
- metastability, 215
 - Ising, 159
- metric space, **491**
 - compact, 491
 - metric, 491
 - separable, 491
 - sequentially compact, 491
- microcanonical distribution, 19, 318
- microstate, 2, 18
- Minlos–Sinai trick, 474
- mixing, *see* short-range correlation
- moment generating function, 499
- momentum, 24
- monotone class, 493
- monotone convergence theorem, 495
- monotonicity
 - in boundary condition, 100, 101
 - in coupling constants, 128
 - in volume, 99, 100
- nearest neighbor, 38
- non-uniqueness, *see* first-order phase transition
 - Ising low temperature, 104
 - of Gibbs measure, 261
- nondecreasing function, 98
- observable, 18

- occupation number, 25, 96, 169
- $O(N)$ model, 437
- open set, 491
- order parameter
 - Ising, 126
- Ornstein–Zernike behavior, 471
- oscillation, 268
- parallelepiped, 479
- paramagnetism, 35
 - 1d Ising, 90
 - Curie–Weiss, 67
- partial order, 98
- partition function, 1
 - canonical, 23, 26, 170
 - Curie–Weiss, 58
 - grand canonical, 26, 174
 - Ising model, 80–82
 - Ising model, zeroes, 121, 125
 - polymer, 221
 - polymer representation, 346
- pathologies, 319
- Pecherski’s counter-example, 335
- Peierls’ argument
 - anisotropic XY model, 454
 - Ising, 109
- Peierls’ condition, 331
- Peierls’ constant, 331, 332
 - Blume–Capel, 332
 - rescaled potential, 537
- percolation
 - Bernoulli, 142
 - FK, 142
 - FK, cluster, 142
- phase coexistence
 - Curie–Weiss, 61
 - Ising, 104
 - Pirogov–Sinai, 324
- phase diagram
 - Blume–Capel, 324, 347
 - completeness, 374
 - Ising, 103
 - Ising $d \geq 2$, 104, 322
 - large- β asymptotics, 375
 - zero-temperature, 324, 337
- phase separation, 206
- phase transition, 14, 47
 - $O(N)$ model, $d \geq 3$, 437
 - XY model, anisotropic $d \geq 2$, 438
 - Berezinskii–Kosterlitz–Thouless, 433
 - Blume–Capel, 366
 - continuous, 72, 161
 - Curie–Weiss, 59
 - Ising, 104
 - Kac interactions, 212
 - lattice gas, 186
 - Pinsker’s inequality, 421, **512**
 - Pirogov–Sinai theory, 217, 321
 - Plancherel theorem, 460
 - plaquette, 149
 - Pólya theorem, 514
 - polymer, 220, 314
 - activity, 221
 - cluster, 228
 - compatibility, 228
 - decomposability, 228
 - partition function, 221
 - support, 314
 - weight, 221, 314
 - polymer model, **220**
 - positive correlation, 98, 174
 - potential, 259
 - $O(N)$ model, 306
 - XY model, 306
 - absolutely summable, 259
 - Blume–Capel, 259
 - finite-range, 259, 326
 - Gaussian Free Field, 306
 - Heisenberg model, 306
 - invariant under transformation, 277
 - Ising, 259
 - m-potential, 333
 - perturbation, 335
 - physical equivalence, 261
 - Potts, 259
 - rescaled, 339
 - translation invariant, 326
 - uniformly absolutely summable, 300
 - uniqueness criterion, 272
 - potential kernel, 433
 - Potts model, 141, 459
 - antiferromagnet, 272
 - pressure, **33**, 311
 - 1d Ising, 90
 - 2d Ising, 93
 - $O(N)$ model, 462
 - analytic continuation, 214
 - anisotropic XY model, 458
 - associated to a potential, 301, 309, 326
 - Curie–Weiss, 65, 67, 134
 - finite volume, Ising, 83
 - function of ρ , v , 188
 - grand canonical ensemble, 33
 - hard-core lattice gas, 182

- Ising, 45, 134
- Ising model, terminology, 45
- Ising, analyticity, 120, 156, 238, 240
- isotherm, 9
- lattice gas, 174
- lattice gas (Ising), 185
- lattice gas, analyticity, 186, 190
- polymer models, 352
- saturation, 15, 190
- thermodynamics, 7, 13
- truncated, 338, 355
- van der Waals limit, 200
- van der Waals model, 191
- Principle of Insufficient Reason, 21, 469
- probability kernel, 255
 - composition, 256
 - consistency, 256
 - infinite-volume, 293
 - proper, 255
- probability measure, **492**
 - compatible with specification, 256
- product
 - σ -algebra, 496
 - measure, 251, 298, 496
 - space, 496
- projection map, 248
- PST, *see* Progov–Sinai theory 321
- quasilocal
 - function, 263
 - specification, 265
- Radon–Nikodým theorem, 495
- random variable, 497
 - characteristic function, 500
 - conditional expectation, 500
 - connected correlation function, 499
 - cumulant, 499
 - distribution, 497
 - expectation, 497
 - i.i.d., 498
 - independent, 498
 - moment, 499
 - semi-invariant, 499
 - standard normal, 498
 - truncated correlation function, 499
 - Ursell function, 499
 - variance, 497
 - with density, 497
- random vector, 503
 - distribution, 503
- random walk, 390, 422, **513**
 - Green function, 390, 431, **515**
 - killed, 398, 541
 - potential kernel, 433, **516**
 - recurrence, transience, 514
 - stopping time, 513
- random walk representation, 390
- random-cluster representation, 141
- random-current representation, 143
- range (of potential), 259
- rate function
 - Curie–Weiss, 62, 68
 - lattice gas, 178
- rectangle, 496
- reference measure, 306, 442
- reflection
 - through edges, 440
 - through vertices, 439
- reflection positive, 441
- relative entropy, 298, 421, **510**
- relative Hamiltonian, *see* Hamiltonian
- relaxation
 - 2d Ising, 153, 156
 - high temperature, 274
- renormalization group, 162, 320
 - pathologies, 163
- reservoir, 10
- restricted ensemble, 376
- restriction
 - of configuration, 101
 - of probability measure, 282
- Riesz–Markov–Kakutani representation theorem, 95, 250, 312
- roughening transition, 151
- saturation pressure, *see* pressure
- scaling parameter, 199
- sea with islands, 109, 114, 372
- short-range correlation, 103, 282
- σ -algebra, 491
 - Borel sets, 492
 - generated by a function, 493
 - generated by sets, 492
- simple function, 494
- sine-Gordon transformation, 409
- singular measures, 495
- singularity, 47, 216
- specific entropy, 299
 - upper semicontinuity, 300
- specific volume, **9**
- specification, 256
 - compatible probability measure, 256
 - finite energy, 472
 - Gibbsian, 258, 306
 - invariant, 277, 308
 - non-null, 472

- quasilocal, 265
- spin, 38, 80
- spin flip, 39, 113, 277
- spin wave, 418
- spontaneous magnetization, 36
 - 2d Ising, 45
 - Curie–Weiss, 59
 - Ising, **89**, 106, 126
- spontaneously broken symmetry, 41, 109, 278
- stability, 12
- stability of contour, 348
- stable
 - boundary condition, 160
- state, 94, 250
 - Dobrushin, 147
 - Gibbs, 94
 - metastable, 215
 - non-translation-invariant, 147
 - translation invariant, 95
- statistical mechanics, 17
- Stein’s method, 71
- Stirling’s formula, **478**
- stochastic domination, 138
- strict convexity of pressure, 175, 179
- subadditivity
 - for existence of pressure, 87
 - lattice gas, 172
 - strong, 471
 - subadditive sequence, 479
- subcritical, 15, 61
- supercritical, 15, 61
- support
 - cluster, 233
 - contour, 340
 - polymer, 314
- supporting line, 484
- surface energy, 345
- surface tension, 209
- surrounding set, 368
- susceptibility, 72, 383
- switching lemma, 144
- symmetry
 - continuous, 308, 411
 - explicit breaking, 278
 - spontaneous breaking, 41, 278
 - spontaneous breaking, Ising, 109
 - under a transformation, 277
 - under global rotation of the spins, 414
 - under spin flip, 39
- tail- σ -algebra, 281
- triviality, 282, 307
- Taylor series, inverse, 237
- temperature
 - thermodynamics, 6
- thermodynamic limit, **46**, 83
 - XY model, 413
 - canonical ensemble, 32
 - extremal Gibbs measure, 286
 - Gaussian Free Field, massive, 400
 - Gaussian Free Field, massless, 393
 - grand canonical ensemble, 33
 - Ising, 45
 - Ising model, 39
 - microcanonical ensemble, 30
- thermodynamic potential, 10
- thermostatistics, 2
- thin subset of $\mathbb{Z}^d$, 342
- topology
 - on $\mathcal{M}_1(\Omega)$, 264
 - on Ω , 262
- torus, 438
 - reciprocal, 460
- total oscillation, 268
- total variation distance, 268, **506**
- transfer matrix, 91, 139
- transformation
 - internal, 276
 - spatial, 276
- translation, 278
- translation invariant
 - events, 279
 - probability measure, 278
 - specification, 280
 - state, 95
- +1 – 1 trick, 314
- triviality of a σ -algebra, 282
- truncated correlation, 144, 243
- type of a contour, 340
- uniqueness
 - 1d Ising, 104
 - 1d models, 275
 - Gibbs measure, Dobrushin, 268
 - Gibbs specification, 272
 - high temperature, cluster expansion, 274
 - Ising, 104
 - Ising $h \neq 0$, 104, 119
 - Ising high temperature, 104, 116
 - long-range Ising, 273
 - Potts antiferromagnet, 272
 - vs. differentiability, 311
 - vs. differentiability, Ising, 108, 311
- uniqueness vs. non-uniqueness, 103
- universality, 49, 72, 161

- unpredictability, 20, 508
- upper critical dimension, 77, 162
- Ursell function, 222, 499

- Van der Waals equation, 14
- van der Waals limit, **198**, 217
 - pressure, free energy, 200
- Van der Waals–Maxwell theory, 13
- variational principle, 318, 319
 - finite version, 298
- virial coefficient, 236

- virial expansion, 215, 235
 - lattice gas, 237
- Vitali convergence theorem, 490

- Weierstrass' theorem, 490
- Wick's formula, 385
- Wulff shape, 211

- XY model
 - anisotropic, 437